




## **Round Grove Products Installation Instructions**

1. Unload unit from trailer using appropriately rated equipment and the built-in fork-hole access on each product.
2. If the unit has an extension, then it can be installed before placing at final location or later, when placed at final location, based on individual site constraints. Fasteners are inside the hardware box. Please refer to chimney extension installation instructions below.
3. With the appropriately rated equipment, transport the unit to the desired location and set onto a prefinished cement footer. A 4" concrete slab for smaller fireplaces and 6" concrete slab for larger fireplaces is recommended, as a minimum. Of course, local soil conditions and/or local building ordinances may require a more robust alternative.
4. Once the unit is in place, lagging the unit into the cement footer is optional, if desired.
5. If hearth is separate from unit, please refer to the hearth attachment instructions below.
6. The fork-hole access panel covers and fasteners are inside the hardware box. Attach each panel cover to the steel frame on the front and back of the unit using the pack of 16 1" self-tapping screws—4 screws each.
7. The chimney cap included in the hardware box should be installed immediately. It can be screwed into place using the frictional fasteners included or it can be screwed into place, if desired.

### **Instructions for Assembling a Chimney Extension**

**Follow ladder safety protocols.** Check out the chimney extension installation video at <https://roundgroveproducts.com/brick-oven-videos/>.

Round Grove Products chimney extensions are designed to sit on top of fireplaces and brick ovens. There are two primary connections that need to be completed before the access panels can be closed up: 1) extension-to-fireplace connections and 2) internal flue pipe connections.



Identify these components of the system:

#1-Fireplace

#2-Pipe Attached to Fireplace

#3-Pipe Located in Extension

#4-Extension

#5-Panel Cover

#6-Fork Hole Locations


#7-Chimney Cap Mounting Plates

#8-Chimney Cap

1. Lift the extension (4) above the fireplace (1) using the fork access pockets (6).
2. There is a steel support strut holding the chimney flue (3) inside the extension. The flue is loose and designed to slip together with the existing pipe on the fireplace. Holding onto the chimney flue, remove the steel strut that is holding the chimney flue inside the extension. Once this strut is removed, hold onto the flue until the extension is in place.
3. Lower the extension down onto the fireplace. Center the extension to be flush and plumb with the sides. Each extension is pre-fitted in our workshop, so it should be flush and plumb when connected.


4. Once the extension is flush and plumb with the fireplace, fasten the extension onto the fireplace permanently with the  $\frac{1}{2}$ " self-tapping screws provided in the hardware box. Four screws per side. Pre-drilling may be necessary.
5. Now connect the chimney flue pipes together. These can be secured with a fastener to keep them aligned permanently.
6. With the extension permanently secured and the flues connected permanently, now the access covers (5) can be installed and fastened with the screws provided.

### Hearth Attachment Instructions



1. When fireplace (1) is set into position place hearth (2) in front of fireplace with the prefinished top up as shown in drawing.
2. Using the 16  $\frac{1}{2}$ " self-tapping screws included in the hardware box to attach the hearth to the steel frame (4).
3. Attach the hearth cover (3) with 8 1" self-tapping screws.

## Woodbox/Cabinet Installation Instructions



1. Place woodbox/cabinet in desired location.
2. If attaching to fireplace, connector plates are provided: 2 in front, 2 in back; 4 in total.
3. Fasten plate on both units with the 1" screws provided, 6 per connector.
4. These plates can be bent by hand to allow for installation at angles, if desired.

Round Grove Products LLC 12980 Arnold Road, Dalton OH 44618  
[www.roundgroveproducts.com](http://www.roundgroveproducts.com)

(330) 621-3657

